

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	32	(US-20050091269-\$ or US-20050091674-\$ or US-20050091184-\$ or US-20030126136-\$ or US-20030105732-\$ or US-20020103806-\$ or US-20020135614-\$ or US-20020128806-\$ or US-20010032199-\$ or US-20020087388-\$ or US-20030172368-\$ or US-20060031581-\$ or US-20050084082-\$ or US-20030023435-\$). did. or (US-5870746-\$ or US-6532471-\$ or US-5481700-\$ or US-6490718-\$ or US-6343376-\$ or US-7137099-\$ or US-6826541-\$ or US-6606618-\$ or US-6745180-\$ or US-6446092-\$ or US-6484149-\$ or US-5978793-\$ or US-6275986-\$ or US-5760768-\$ or US-5287514-\$ or US-7209916-\$ or US-6920616-\$ or US-7360202-\$).did.	US-PGPUB; USPAT	OR	OFF	2008/06/03 10:14
L3	1	L2 and ("data storage component")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/03 10:14
S1	2	"20050091269"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/28 15:55

S2	2	((("preference" or "customer\$5" or ("user" near2 "defined"))) same stor \$3) same (schema\$6 near3 "data") and ("execution" same occurr\$5) and (@ad < "10031024" or @prad < "20031024" or @rlad < "20031024"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/28 16:03
S3	2	((("preference" or "customer\$5" or ("user" near2 "defined"))) same stor \$3) same (schema\$6 near3 "data") and ("execution" same occurr\$5) and (@ad < "20031024" or @prad < "20031024" or @rlad < "20031024"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/28 16:00
S4	0	((("preference" or "customer\$5" or ("user" near2 "defined"))) same stor \$3) same (schema\$6 near3 "data") and (compil\$3 near4 "defined") and "execution" and "occurrence" and (@ad < "10031024" or @prad < "20031024" or @rlad < "20031024"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/28 16:04
S5	0	((("preference" or "customer\$5" or ("user" near2 "defined"))) same stor \$3) same (schema\$6 near3 "data") and (compil\$3 near4 "defined") and "execution" and (@ad < "10031024" or @prad < "20031024" or @rlad < "20031024"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/04 17:00

S6	26	((("preference" or "customer\$5" or ("user" near2 "defined"))) same stor\$3) same ("data" near3 stor\$3) and (compil\$3 near4 "defined") and "execution" and (@ad < "10031024" or @prad < "20031024" or @rlad < "20031024"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/09 12:07
S7	12	gerber-robert-h.IN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/03 10:47
S8	9	(US-20050091269-\$ or US-20030105732-\$ or US-20020128806-\$ or US-20050091184-\$). did. or (US-6275986-\$ or US-5287514-\$ or US-5760768-\$ or US-7137099-\$ or US-5978793-\$).did.	US-PGPUB; USPAT	OR	OFF	2007/01/03 11:00
S9	3	S8 and ("data" near3 "store") and ("preference")	US-PGPUB; USPAT	OR	OFF	2007/01/03 11:06
S10	2	S8 and ("data" near3 "store").CLM. and ("preference").CLM.	US-PGPUB; USPAT	OR	OFF	2007/01/03 11:08
S11	1	S8 and ("data" near3 "store").CLM. and ("preference").CLM. and ("execution" near3 "engine").CLM.	US-PGPUB; USPAT	OR	OFF	2007/01/03 11:08
S12	1	("data" near3 "store"). CLM. and ("preference").CLM. and ("execution" near3 "engine").CLM.	US-PGPUB; USPAT	OR	OFF	2007/01/03 11:09

S13	84	((("preference" or "customer\$5" or ("user" near2 "defined"))) same stor\$3) and ("data" near3 stor\$3) and ((compil\$3 same prefer\$4) and execut\$4) and (@ad < "10031024" or @prad < "20031024" or @rlad < "20031024"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/03 12:26
S14	1	((("preference" or "customer\$5" or ("user" near2 "defined"))) same stor\$3) and ("data" near3 stor\$3) and ((compil\$3 same prefer\$4) and execut\$4) and ("execution engine") and (@ad < "10031024" or @prad < "20031024" or @rlad < "20031024"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/03 11:25
S15	2	"6775358".PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/03 11:25
S16	1	((("preference" or "customer\$5" or ("user" near2 "defined"))) same stor\$3) and ("data" near3 stor\$3) and ((compil\$3 same prefer\$4) and execut\$4) and (preference near4 evaluat\$3) and (@ad < "10031024" or @prad < "20031024" or @rlad < "20031024"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/03 11:58

S17	57	((("preference" or "customer\$5" or ("user" near2 "defined")) same stor \$3) and ("data" near3 stor\$3) and ((compil\$3 same prefer\$4) and execut\$4) and "action" and (@ad < "10031024" or @prad < "20031024" or @rlad < "20031024"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/03 11:58
S18	90	((("preference" or "customer\$5" or ("user" near2 "defined")) same stor \$3) and ("data" near3 stor\$3) and ((compil\$3 same prefer\$4) and execut\$4) and "action" and (@ad < "20031024" or @prad < "20031024" or @rlad < "20031024"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/03 11:59
S19	88	((("preference" or "customer\$5" or ("user" near2 "defined")) same stor \$3) and ("data" near2 stor\$3) and ((compil\$3 same prefer\$4) and execut\$4) and "action" and (@ad < "20031024" or @prad < "20031024" or @rlad < "20031024"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/03 11:59
S20	6	((("preference" or "customer\$5" or ("user" near2 "defined")) same stor \$3) and ("data" near2 stor\$3) and ((compil\$3 same prefer\$4) and execut\$4) and (evaluat \$4 near3 (preference or "customer\$5" or "user defined")) and (@ad < "20031024" or @prad < "20031024" or @rlad < "20031024"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/03 12:59

S21	2	"6745180".PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/03 12:26
S22	2	"6826541".PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/03 12:59
S23	13	(US-20020103806-\$ or US-20020087388-\$ or US-20030105732-\$ or US-20050091269-\$ or US-20050091184-\$ or US-20020128806-\$). did. or (US-5978793-\$ or US-6826541-\$ or US- 7137099-\$ or US- 5287514-\$ or US- 6745180-\$ or US- 5760768-\$ or US- 6275986-\$).did.	US-PGPUB; USPAT	OR	OFF	2007/01/04 16:56
S24	3	S23 and (compiler or compiling) and (execut \$3 and evaluat\$4) and (preference) and ("data" near3 "store")	US-PGPUB; USPAT	OR	OFF	2007/01/04 17:26
S25	2469	(compiler or compiling). CLM. and (execut\$3 and evaluat\$4)".CLM" and (preference).CLM. and ("data" near3 "store").CLM.	US-PGPUB; USPAT	OR	OFF	2007/01/04 17:00
S26	958	((compiler or compiling).CLM. and (execut\$3 and evaluat \$4)".CLM" and (preference).CLM. and ("data" near2 "store"). CLM.) and (@ad < "10031024" or @prad < "20031024" or @rlad < "20031024")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/04 17:01

S27	2119	((compiler or compiling).CLM. and (execut\$3 and evaluat \$4)".CLM" and (preference).CLM. and ("data" near2 "store"). CLM.) and (@ad < "20031024" or @prad < "20031024" or @rlad < "20031024")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/04 17:01
S28	943	((compiler).CLM. and (execut\$3 and evaluat \$4)".CLM" and (preference).CLM. and ("data" near2 "store"). CLM.) and (@ad < "20031024" or @prad < "20031024" or @rlad < "20031024")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/04 17:02
S29	0	((compiler).CLM. and (execut\$3).CLM. and (preference same evaluat\$3).CLM. and ("data" near2 "store"). CLM.) and (@ad < "20031024" or @prad < "20031024" or @rlad < "20031024")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/04 17:02
S30	0	((compiler).CLM. and (execution).CLM. and (preference same evaluat\$3).CLM. and ("data" near2 "store"). CLM.) and (@ad < "20031024" or @prad < "20031024" or @rlad < "20031024")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/04 17:03
S31	0	((compiler).CLM. and (execute).CLM. and (preference same evaluat\$3).CLM. and ("data" near2 "store"). CLM.) and (@ad < "20031024" or @prad < "20031024" or @rlad < "20031024")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/04 17:03
S32	1	"5870746".PN.	US-PGPUB; USPAT	OR	OFF	2007/01/04 17:26

S33	14	(US-20020128806-\$ or US-20030105732-\$ or US-20050091269-\$ or US-20050091184-\$ or US-20020103806-\$ or US-20020087388-\$). did. or (US-6275986-\$ or US-5287514-\$ or US-5760768-\$ or US-5978793-\$ or US-7137099-\$ or US-6826541-\$ or US-6745180-\$ or US-5870746-\$).did.	US-PGPUB; USPAT	OR	OFF	2007/01/08 12:57
S34	0	S33 and ((validat\$4 near3 (proper\$2 or correct\$2)) near3 install \$4)	US-PGPUB; USPAT	OR	OFF	2007/01/08 12:59
S35	0	S33 and (((validat\$4 or verifi\$6) near3 (proper \$2 or correct\$2)) near3 install\$4)	US-PGPUB; USPAT	OR	OFF	2007/01/08 13:00
S36	0	S33 and (((validat\$4 or verifi\$6) near3 (proper \$2 or correct\$2)) near3 install\$4)	US-PGPUB; USPAT	OR	OFF	2007/01/08 13:01
S37	0	S33 and (((valid\$4 or verifi\$6) near3 (proper \$2 or correct\$2)) near3 install\$4)	US-PGPUB; USPAT	OR	OFF	2007/01/08 13:36
S38	3	S33 and (action same condition\$4)	US-PGPUB; USPAT	OR	OFF	2007/01/08 13:39
S39	0	S33 and (action same (if nea3 then))	US-PGPUB; USPAT	OR	OFF	2007/01/08 13:40
S40	0	S33 and (action same ("if" nea3 "then"))	US-PGPUB; USPAT	OR	OFF	2007/01/08 14:43
S41	3	S33 and ("SMTP" amd )	US-PGPUB; USPAT	OR	OFF	2007/01/08 14:43
S42	3	S33 and ("SMTP" or "Simple Mail")	US-PGPUB; USPAT	OR	OFF	2007/01/08 14:44
S43	3	S33 and ("internal" or "external") near3 (triger or event or input)	US-PGPUB; USPAT	OR	OFF	2007/01/08 14:45
S44	3	S33 and ("internal" or "external") near3 (trigger or event or input)	US-PGPUB; USPAT	OR	OFF	2007/01/08 14:46



S45	3	S33 and ("internal" or "external") near3 (trigger or event or input or API)	US-PGPUB; USPAT	OR	OFF	2007/01/08 14:46
S46	3	S33 and ("internal" or "external") near4 (trigger or event or input or API)	US-PGPUB; USPAT	OR	OFF	2007/01/08 14:59
S47	103	(event near3 extract) and ((internal or external) near3 (trigger or input or event or API)) and (@ad < "20031024" or @prad < "20031024" or @rlad < "20031024")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/08 14:48
S48	36	(event near2 extract) and ((internal or external) near3 (trigger or input or event or API)) and (preference or (user near2 defin\$5)) and (@ad < "20031024" or @prad < "20031024" or @rlad < "20031024")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/08 14:49
S49	35	(event near2 extract) and ((internal or external) near3 (trigger or input or event)) and (preference or (user near2 defin\$5)) and (@ad < "20031024" or @prad < "20031024" or @rlad < "20031024")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/08 14:49
S50	18	(event near2 extract) and ((internal or external) near3 (trigger or input or event)) and (preference) and (@ad < "20031024" or @prad < "20031024" or @rlad < "20031024")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/08 14:49

S51	16	(event near2 extract) and ((internal or external) near3 (trigger or input or event)) and (preference) and (store) and (source) and (@ad < "20031024" or @prad < "20031024" or @rlad < "20031024")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/08 14:50
S52	3	S33 and ("internal" or "external") near4 (trigger or event or incident or query or input)	US-PGPUB; USPAT	OR	OFF	2007/01/08 15:00
S53	8	S33 and ((trigger or event or incident or query or input) same (extract\$3 or handl\$3))	US-PGPUB; USPAT	OR	OFF	2007/01/08 15:23
S54	1	S33 and (event near2 extract)	US-PGPUB; USPAT	OR	OFF	2007/01/08 15:24
S55	57	((("preference" or "customer\$5" or ("user" near2 "defined"))) same stor \$3) and ((event\$2 or incident\$2 or input\$2) same "extract") and "XML" and subscri\$5 and "execution" and (@ad < "20031024" or @prad < "20031024" or @rlad < "20031024")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/08 16:15
S56	19	("preference" same stor \$3) and ((event\$2 or incident\$2 or input\$2) same "extract") and "XML" and subscri\$5 and "execution" and (@ad < "20031024" or @prad < "20031024" or @rlad < "20031024")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/08 16:28

S57	126	("preference" same stor\$3) and ((event\$2 or incident\$2 or input\$2) same "source") and "XML" and subscri\$5 and "execution" and (@ad < "20031024" or @prad < "20031024" or @rlad < "20031024")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/08 16:28
S58	99	("preference" same stor\$3) and ((event\$2 or incident\$2 or input\$2) same "source") and "XML" and subscri\$5 and "execution" and (data near3 store) and (@ad < "20031024" or @prad < "20031024" or @rlad < "20031024")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/08 16:29
S59	53	("preference" near5 stor\$3) and ((event\$2 or incident\$2 or input\$2) same "source") and "XML" and subscri\$5 and "execution" and (data near3 store) and (@ad < "20031024" or @prad < "20031024" or @rlad < "20031024")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/08 16:30
S60	18	((("preference" near5 data) same stor\$3) and ((event\$2 or incident\$2 or input\$2) same "source") and "XML" and subscri\$5 and "execution" and (data near3 store) and (@ad < "20031024" or @prad < "20031024" or @rlad < "20031024")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/08 16:30
S61	2	"5481700".PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/08 16:42

S62	2	"6490718".PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/08 16:42
S63	18	(US-20020128806-\$ or US-20030105732-\$ or US-20050091269-\$ or US-20050091184-\$ or US-20020103806-\$ or US-20020087388-\$ or US-20030126136-\$). did. or (US-6275986-\$ or US-5287514-\$ or US- 5760768-\$ or US- 5978793-\$ or US- 7137099-\$ or US- 6826541-\$ or US- 6745180-\$ or US- 5870746-\$ or US- 6484149-\$ or US- 5481700-\$ or US- 6490718-\$).did.	US-PGPUB; USPAT	OR	OFF	2007/01/08 16:43
S64	4	S63 and (((event or incident) near4 source) same stor\$4)	US-PGPUB; USPAT	OR	OFF	2007/01/08 17:14
S65	3	S63 and (((event or incident) near4 source) same stor\$4) and subscri\$4	US-PGPUB; USPAT	OR	OFF	2007/01/08 16:45
S66	5	S63 and ((event or incident) same stor\$4) and subscri\$4	US-PGPUB; USPAT	OR	OFF	2007/01/08 16:50
S67	6	S63 and subscri\$4	US-PGPUB; USPAT	OR	OFF	2007/01/08 16:50
S68	4	S63 and (subscri\$4 and "XML" and "API")	US-PGPUB; USPAT	OR	OFF	2007/01/08 17:14
S69	18	(US-20050091269-\$ or US-20050091184-\$ or US-20030105732-\$ or US-20020103806-\$ or US-20020128806-\$ or US-20020087388-\$ or US-20030126136-\$). did. or (US-7137099-\$ or US-6826541-\$ or US- 6745180-\$ or US- 5760768-\$ or US- 6275986-\$ or US- 5978793-\$ or US- 5870746-\$ or US- 5287514-\$ or US-	US-PGPUB; USPAT	OR	OFF	2007/01/09 10:54

		6484149-\$ or US-5481700-\$ or US-6490718-\$).did.				
S70	3	S69 and (high near3 end)	US-PGPUB; USPAT	OR	OFF	2007/01/09 10:56
S71	6	S69 and (execut\$4 near3 quer\$3)	US-PGPUB; USPAT	OR	OFF	2007/01/09 10:57
S72	6	S69 and ((execut\$4 or run) near3 quer\$3)	US-PGPUB; USPAT	OR	OFF	2007/01/09 10:57
S73	10	S69 and ((execut\$4 or run or search\$3) near3 quer\$3)	US-PGPUB; USPAT	OR	OFF	2007/01/09 11:14
S74	8	S73 and (user near3 (defin\$3 or specif\$5))	US-PGPUB; USPAT	OR	OFF	2007/01/09 11:14
S75	17	((("preference" or "customer\$5" or ("user" near2 "defined")) same stor \$3) and ((install\$4 near3 (application or program)) same table \$2) and (updat\$3 near4 table) and (@ad < "10031024" or @prad < "20031024" or @rlad < "20031024"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/09 12:09
S76	30	((("preference" or "customer\$5" or ("user" near2 "defined")) same stor \$3) and ((install\$4 near3 (application or program)) same table \$2) and (updat\$3 near4 table) and (@ad < "20031024" or @prad < "20031024" or @rlad < "20031024"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/09 12:09
S77	23	("preference" same stor \$3) and ((install\$4 near3 (application or program)) same table \$2) and (updat\$3 near4 table) and (@ad < "20031024" or @prad < "20031024" or @rlad < "20031024"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/09 12:11

S78	0	((("event" near2 "driven") near3 install \$4) and table\$2) and (updat\$3 near4 table) and (@ad < "20031024" or @prad < "20031024" or @rlad < "20031024"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/09 12:13
S79	2	((("event" near2 "driven") near3 install \$4) and table\$2) and (@ad < "20031024" or @prad < "20031024" or @rlad < "20031024"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/09 12:13
S80	0	"66066618".PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/11 11:34
S81	2	"66066618".PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/11 11:34
S82	12	gerber-robert-h.IN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/12 13:13
S83	4	S82 and "preference" and ("store" near2 "data")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/11 13:42
S84	4	S82 and "preference" and ("store" near2 "data") and compiler	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/11 13:44
S85	30	knight-holly.IN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/11 13:42
S86	4	S85 and "preference" and ("store" near2 "data") and compiler	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/11 13:43

S87	8	krishna-murali-m.IN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/11 13:43
S88	1	S87 and "preference" and ("store" near2 "data") and compiler	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/11 15:00
S89	1	nilakantan-nirajan.IN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/11 13:44
S90	9	abileah-shahaf.IN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/11 13:44
S91	1	S90 and "preference" and ("store" near2 "data") and compiler	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/11 13:44
S92	21	pathar-shyamalan.IN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/11 13:44
S93	3	S92 and "preference" and ("store" near2 "data") and compiler	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/11 13:44
S94	22	(US-20030126136-\$ or US-20020128806-\$ or US-20020103806-\$ or US-20030105732-\$ or US-20050091269-\$ or US-20010032199-\$ or US-20050091184-\$ or US-20020087388-\$ or US-20050091674-\$). did. or (US-5481700-\$ or US-5978793-\$ or US- 6745180-\$ or US- 5870746-\$ or US- 6826541-\$ or US- 7137099-\$ or US- 5760768-\$ or US- 6275986-\$ or US-	US-PGPUB; USPAT	OR	OFF	2007/06/05 13:25

		5287514-\$ or US-6484149-\$ or US-6490718-\$ or US-6446092-\$ or US-6606618-\$).did.				
S95	13	S94 and (query near3 table)	US-PGPUB; USPAT	OR	OFF	2007/06/05 13:26
S96	5	S95 and (result near3 table)	US-PGPUB; USPAT	OR	OFF	2007/06/05 13:26
S97	22	(US-20030126136-\$ or US-20050091674-\$ or US-20020103806-\$ or US-20030105732-\$ or US-20010032199-\$ or US-20020128806-\$ or US-20050091184-\$ or US-20020087388-\$ or US-20050091269-\$). did. or (US-6490718-\$ or US-6826541-\$ or US-5978793-\$ or US-5287514-\$ or US-6745180-\$ or US-6446092-\$ or US-7137099-\$ or US-5481700-\$ or US-5870746-\$ or US-6484149-\$ or US-6275986-\$ or US-5760768-\$ or US-6606618-\$).did.	US-PGPUB; USPAT	OR	OFF	2007/06/11 11:36
S98	5	S97 and (prefer\$4 near3 user) and ((stor\$3 and retriev\$3) near5 ("store" or "database" or "data base" or "repository")) and (result near3 table) and (action or execut\$4)	US-PGPUB; USPAT	OR	OFF	2007/06/11 11:42
S99	22	(US-20050091269-\$ or US-20030105732-\$ or US-20050091184-\$ or US-20020128806-\$ or US-20050091674-\$ or US-20020103806-\$ or US-20020087388-\$ or US-20030126136-\$ or US-20010032199-\$). did. or (US-6275986-\$ or US-5287514-\$ or US-7137099-\$ or US-5978793-\$ or US-	US-PGPUB; USPAT	OR	OFF	2007/06/12 10:30



		5760768-\$ or US-6745180-\$ or US-6826541-\$ or US-5870746-\$ or US-5481700-\$ or US-6484149-\$ or US-6490718-\$ or US-6446092-\$ or US-6606618-\$).did.				
S100	1	"L22" and (store near2 (program or procedure or events or condition)) and ((retriev \$3 near3 (program)) same (execut\$4 or run))	US-PGPUB; USPAT	OR	OFF	2007/06/12 10:32
S101	13	gerber-robert-h.IN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/12 13:13
S102	0	S101 and (("data store" or "database" or "data base" or "repository") same (user near4 preference)) and ((retrieve same query) same (execut\$4 or run))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/12 13:16
S103	4	S101 and (("data store" or "database" or "data base" or "repository") same (user near4 preference)) and ((retriev\$3 same quer \$3) same (execut\$4 or run))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/12 13:19
S104	35	knight-holly.IN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/12 13:19

S105	4	S104 and (("data store" or "database" or "data base" or "repository") same (user near4 preference)) and ((retriev\$3 same quer \$3) same (execut\$4 or run))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/12 13:21
S106	9	krishna-murali-m.IN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/12 13:20
S107	1	S106 and (("data store" or "database" or "data base" or "repository") same (user near4 preference)) and ((retriev\$3 same quer \$3) same (execut\$4 or run))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/12 13:20
S108	1	nilakantan-niranjan.IN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/12 13:20
S109	11	abileah-shahaf.IN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/12 13:21
S110	1	S108 and (("data store" or "database" or "data base" or "repository") same (user near4 preference)) and ((retriev\$3 same quer \$3) same (execut\$4 or run))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/12 13:21
S111	24	pather-shyamalan.IN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/12 13:21

S112	3	S111 and (("data store" or "database" or "data base" or "repository") same (user near4 preference)) and ((retriev\$3 same quer \$3) same (execut\$4 or run))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/12 13:22
S113	17	("data store" or "database" or "data base" or "repository"). CLM. and (user near4 preference).CLM. and (retriev\$3 same quer \$3).CLM. and (execut \$4 or run).CLM.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/12 13:24
S114	15	("data store" or "database" or "data base" or "repository"). CLM. and (user near2 preference).CLM. and (retriev\$3 same quer \$3).CLM. and (execut \$4 or run).CLM.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/12 13:24
S115	2	"5870746".PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/01 22:09
S116	2	"6532471".PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/01 22:10
S117	2	"5481700".PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/01 22:10
S118	2	"6490718".PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/01 22:10
S119	2	"6343376".PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/01 22:10

S120	25	(US-20050091269-\$ or US-20030105732-\$ or US-20020128806-\$ or US-20050091674-\$ or US-20050091184-\$ or US-20020087388-\$ or US-20020103806-\$ or US-20030126136-\$ or US-20010032199-\$ or US-20020135614-\$). did. or (US-6745180-\$ or US-6826541-\$ or US-5870746-\$ or US-6275986-\$ or US-5760768-\$ or US-5287514-\$ or US-7137099-\$ or US-5978793-\$ or US-5481700-\$ or US-6484149-\$ or US-6490718-\$ or US-6446092-\$ or US-6606618-\$ or US-6532471-\$ or US-6343376-\$).did.	US-PGPUB; USPAT	OR	OFF	2007/12/01 22:11
S121	16	S120 and (compil\$3)	US-PGPUB; USPAT	OR	OFF	2007/12/01 23:49
S122	9	S120 and (compil\$3 same stor\$3)	US-PGPUB; USPAT	OR	OFF	2007/12/01 23:52
S123	15	S120 and (compil\$3 and (data near3 stor \$3))	US-PGPUB; USPAT	OR	OFF	2007/12/01 23:52
S124	2	(user near5 preferenc \$2).CLM. and (stor\$4 near3 data).CLM. and (compil\$3 near3 (application or code or program)).CLM.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/03 12:49
S125	1	(user near5 preferenc \$2).CLM. and (stor\$4 near3 data).CLM. and (compil\$3 near3 (application or code or program)).CLM. and (table).CLM.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/03 13:00
S126	14	gerber-robert-h.IN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/03 12:59

S127	2	S126 and (user near5 preferenc\$2).CLM. and (stor\$4 near3 data).CLM. and (table).CLM.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/03 13:02
S128	37	knight-holly.IN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/03 13:01
S129	3	S128 and (user near5 preferenc\$2).CLM. and (stor\$4 near3 data).CLM. and (table).CLM.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/03 13:02
S130	9	krishna-murali-m.IN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/03 13:02
S131	1	S130 and (user near5 preferenc\$2).CLM. and (stor\$4 near3 data).CLM. and (table).CLM.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/03 13:03
S132	1	nilakantan-niranjan.IN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/03 13:03
S133	12	abileah-shahaf.IN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/03 13:03
S134	1	S133 and (user near5 preferenc\$2).CLM. and (stor\$4 near3 data).CLM. and (table).CLM.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/03 13:04
S135	25	pather-shyamalan.IN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/03 13:03
S136	2	S135 and (user near5 preferenc\$2).CLM. and (stor\$4 near3 data).CLM. and (table).CLM.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/03 13:04

S137	0	((("preference" or "customer\$5" or ("user" near2 "defined")) same stor\$3) and ("data" near3 stor\$3) and ((compil\$3 same prefer\$4) and execut\$4) and "action" and ("context" near3 "analyzer") and (@ad < "20031024" or @prad < "20031024" or @rlad < "20031024"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/02 14:29
S138	269	("context" near3 "analyzer") and (@ad < "20031024" or @prad < "20031024" or @rlad < "20031024")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/02 14:29
S139	43	("context" near3 "analyzer") and ((prefer\$4 or preference) near4 user) and execut\$4 and stor\$3 and (@ad < "20031024" or @prad < "20031024" or @rlad < "20031024")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/02 14:31
S140	43	("context" near3 "analyzer") and ((prefer\$4 or preference) near4 user) and execut\$4 and stor\$3 and (time or schedule) and (@ad < "20031024" or @prad < "20031024" or @rlad < "20031024")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/02 14:32
S141	8	("context" near3 "analyzer") and (((prefer\$4 or preference) near4 user) same (specif\$3 or define\$2)) and execut\$4 and stor\$3 and (time or schedule) and (@ad < "20031024" or @prad < "20031024" or @rlad < "20031024")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/02 14:33

S142	4	"7209916".PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/03 11:41
S143	30	(US-20050091269-\$ or US-20050091674-\$ or US-20050091184-\$ or US-20030126136-\$ or US-20030105732-\$ or US-20020103806-\$ or US-20020135614-\$ or US-20020128806-\$ or US-20010032199-\$ or US-20020087388-\$ or US-20030172368-\$ or US-20060031581-\$ or US-20050084082-\$ or US-20030023435-\$). did. or (US-5870746-\$ or US-6532471-\$ or US- 5481700-\$ or US- 6490718-\$ or US- 6343376-\$ or US- 7137099-\$ or US- 6826541-\$ or US- 6606618-\$ or US- 6745180-\$ or US- 6446092-\$ or US- 6484149-\$ or US- 5978793-\$ or US- 6275986-\$ or US- 5760768-\$ or US- 5287514-\$ or US- 7209916-\$).did.	US-PGPUB; USPAT	OR	OFF	2008/05/05 10:24
S144	6	S143 and ((context near3 analy\$4) same (location or profile or time or schedule))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/05 10:25
S145	6	S143 and ((context near3 analy\$4) same (location or position or profile or time or schedule))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/05 10:25
S146	12	S143 and ((context) same (location or position or profile or time or schedule))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/05 10:32

S147	38	((context near2 analy \$4) same (((position or location) and time) and GPS))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/05 10:46
S148	33	((context near2 analy \$4) same (((position or location) and time) and GPS)) and (@ad < "20031024" or @prad < "20031024" or @rlad < "20031024")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/05 10:46
S149	2	"7137099".PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/02 16:18
S150	0	"gerber-robert-h.IN"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/02 16:21
S151	17	gerber-robert-h.IN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/02 16:21
S152	1	S151 and (preference).CLM. and ("context analyzer").CLM. and (time).CLM.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/02 16:23
S153	38	knight-holly.IN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/02 16:23
S154	2	S153 and (preference).CLM. and ("context analyzer").CLM. and (time).CLM.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/02 16:24
S155	9	krishna-murali-m.IN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/02 16:28



S156	1	S155 and (preference). CLM. and ("context analyzer").CLM. and (time).CLM.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/02 16:28
S157	2	nilakantan-nirajan.IN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/02 16:28
S158	13	abileah-shahaf.IN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/02 16:30
S159	1	S157 and (preference). CLM. and ("context analyzer").CLM. and (time).CLM.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/02 16:30
S160	26	pather-shyamalan.IN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/02 16:30
S161	2	S160 and (preference). CLM. and ("context analyzer").CLM. and (time).CLM.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/02 16:30

6/ 3/ 08 11:56:19 AM

C:\ Documents and Settings\ cchow\ My Documents\ EAST\ Workspaces\ 10693735.wsp